

		A				C				G				T			
		A	C	G	T	A	C	G	T	A	C	G	T	A	C	G	T
A	A	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA
	C	AA	AA	AA	AA	CA	CA	CA	CA	GAG	GAG	GAT	AT	AT	AT	AT	AT
	G	AC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	C
	T	AA	AA	AA	AA	CA	CA	CA	CA	GAG	GAG	GAT	AT	AT	AT	AT	AT
C	A	AG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	G
	C	AA	AA	AA	AA	CA	CA	CA	CA	GAG	GAG	GAT	AT	AT	AT	AT	AT
	G	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT
	T	AA	AA	AA	AA	CA	CA	CA	CA	GAG	GAG	GAT	AT	AT	AT	AT	AT
G	A	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA
	C	AC	AC	AC	AC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC
	G	AC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	C
	T	AC	AC	AC	AC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC
T	A	AG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	G
	C	AC	AC	AC	AC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC
	G	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT
	T	AC	AC	AC	AC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC	CC
	A	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA
	C	AG	GAG	GAG	AG	CG	CG	CG	CG	GGG	GGG	GGG	GGT	GT	GT	GT	G
	G	AC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	C
	T	AG	GAG	GAG	AG	CG	CG	CG	CG	GGG	GGG	GGG	GGT	GT	GT	GT	G
	A	AG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	G
	C	AG	GAG	GAG	AG	CG	CG	CG	CG	GGG	GGG	GGG	GGT	GT	GT	GT	G
	G	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT
	T	AG	GAG	GAG	AG	CG	CG	CG	CG	GGG	GGG	GGG	GGT	GT	GT	GT	G
	A	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA	CA	GAT	AA
	C	AT	AT	AT	AT	CT	CT	CT	CT	GT	GT	GT	GT	TT	TT	TT	TT
	G	AC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	CAC	CC	GCT	C
	T	AT	AT	AT	AT	CT	CT	CT	CT	GT	GT	GT	GT	TT	TT	TT	TT
	A	AG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	GAG	CG	GGT	G
	T	AT	AT	AT	AT	CT	CT	CT	CT	GT	GT	GT	GT	TT	TT	TT	TT
		AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT	AT	CT	GT	TT
		AT	AT	AT	AT	CT	CT	CT	CT	GT	GT	GT	GT	TT	TT	TT	TT

An array of all tetranucleotides

Fig.2a.

Analysis on scanning arrays


tRNA^{phe}Position of reaction
cell at each coupling

Fig.2b.

HIV TAR





Fig.3.




Hybridisation of tRNA^{phe}
to an array of the type $N_3X_2N_3$

009240" 20465560


Fig.4.

tRNA with cooperative antisense interactions




009240" 2016.5500

Fig.5.



6/15


Fig.6.



009240-2446560

8/15

Fig.7b.



[illegible]

009240" 20465560

10/15

Fig.8a.





Fig.8b.



009240" 20469560

11/15

Fig.8c.




Fig.9a.





Fig.9b.



009240" 20465560

009270" 2046560

13/15

Fig.10a





Fig.10b




009240" 20165560

14/15


Fig.11a.

Fig.11b.

Fig.11c.



agccagatctgagccctgggagctctctggc



009240" 20465560